

**Technical Analysis and Justification  
for  
Ground Water Ordinances on the  
Eastern Shore of Virginia**

*for*



**Accomack-Northampton  
Planning District Commission**

January 2001  
3100-008



## ACKNOWLEDGEMENT

This project was 50% funded by the Virginia Coastal Resources Management Program at the Department of Environmental Quality through Grant Number NA 87OZ0253-01, Task 40, of the National Oceanic and Atmospheric Administration, Office of Ocean and Coastal Resource Management, under the Coastal Zone Management Act of 1972, as amended. The views expressed herein are those of the authors and do not necessarily reflect the views of NOAA or any of its subagencies.



# TABLE OF CONTENTS

	Page
<b>EXECUTIVE SUMMARY</b> .....	ES-1
<b>1.0 INTRODUCTION</b> .....	1-1
1.1 Background .....	1-1
1.2 Hydrogeology of the Eastern Shore .....	1-4
1.2.1 Columbia Aquifer .....	1-6
1.2.2 Upper Yorktown Confining Unit .....	1-7
1.2.3 Upper Yorktown Aquifer .....	1-7
1.2.4 Middle Yorktown Confining Unit .....	1-9
1.2.5 Middle Yorktown Aquifer .....	1-9
1.2.6 Lower Yorktown Confining Unit .....	1-10
1.2.7 Lower Yorktown Aquifer .....	1-10
1.3 Groundwater Protection Regulations and Requirements .....	1-11
1.3.1 Federal .....	1-11
1.3.2 Commonwealth of Virginia .....	1-12
1.3.3 Eastern Shore of Virginia Groundwater Committee .....	1-14
1.3.4 Northampton County .....	1-15
1.3.5 Accomack County .....	1-17
<b>2.0 METHODS</b> .....	2-1
2.1 FEMWATER/LEWASTE .....	2-1
2.1.1 Model Grid .....	2-1
2.1.2 Contaminant Transport .....	2-3
2.2 SHARP Model .....	2-4
2.2.1 USGS Eastern Shore SHARP Model .....	2-4
2.2.2 Modified Eastern Shore SHARP Model .....	2-6
2.2.3 Recharge Spine Setting .....	2-8
2.2.4 Near-Shore Setting .....	2-9
2.3 Model Scenarios .....	2-10
2.3.1 Contaminant Transport .....	2-11
2.3.2 Saltwater Intrusion and Drawdown .....	2-11
<b>3.0 RESULTS</b> .....	3-1
3.1 Contaminant Transport .....	3-1
3.1.1 Nitrogen from Fertilizer .....	3-2
3.1.2 Nitrogen from Septic Systems .....	3-2
3.1.3 Herbicides Application .....	3-3
3.2 Groundwater Use .....	3-4
3.2.1 Withdrawals in the Spine Recharge Spine Area .....	3-5
3.2.2 Withdrawals in Coastal Areas .....	3-6

**TABLE OF CONTENTS**  
**(continued)**

		<b>Page</b>
<b>4.0</b>	<b>CONCLUSIONS AND RECOMMENDATIONS.....</b>	<b>4-1</b>
<b>5.0</b>	<b>REFERENCES.....</b>	<b>5-1</b>

**LIST OF TABLES**

<b>Table No.</b>	<b>Description</b>	<b>On or Following Page</b>
2-1	Factors Used to Compute Contaminant Loads and Water Demands.....	2-3
2-2	SHARP Model Scenarios .....	2-12
3-1	LEWASTE Results for Nitrogen.....	3-1
3-2	LEWASTE Results for 2,4-D.....	3-4
3-3	SHARP Results: Recharge Spine Setting.....	3-5
3-4	SHARP Results: Near-Shore Setting.....	3-6

**LIST OF FIGURES**

<b>Figure No.</b>	<b>Description</b>	<b>On or Following Page</b>
1-1	Schematic of Saltwater Intrusion and Drawdown.....	1-2
1-2	Schematic of Residential Contaminant Sources.....	1-3
1-3	Hydrogeologic Cross-Section of the Eastern Shore .....	1-5
2-1	LEWASTE Grid.....	2-2
2-2	SHARP Grid: Recharge Spine Setting.....	2-9
2-3	SHARP Grid: Near-Shore Setting .....	2-10

11832 Rock Landing Drive, Suite 400  
Newport News, Virginia 23606

(757) 873-8700      (757) 873-8723 FAX  
visit our website: [www.pirnie.com](http://www.pirnie.com)